

Section 18 Emergency Exemption

SECTION 18 EXEMPTION FOR THE USE OF DIVIDEND EXTREME ® TO TREAT SWEET CORN SEED FOR CONTROL OF PENICILLIUM DIE-BACK AND DAMPING-OFF IN IDAHO

EFFECTIVE MARCH 19, 2004 TO MARCH 19, 2005

DIVIDEND EXTREMEâ

EPA FILE SYMBOL NO. 03-ID-38

FOR CONTROL OF PENICILLIUM DIE-BACK AND DAMPING-OFF

Active Ingredients:		
Difenoconazole: (CAS No. 119446-68-3)	7.73%	
(R)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]-		
propionic acid methyl ester	1.87%	
Related Compounds		
Other Ingredients:	90.34%	
Total:	100.00%	

Dividend Extreme contains 0.77 lbs. difenoconazole and 0.19 lbs. (R)-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester and related compounds per gallon product.

Keep Out of Reach of Children

CAUTION

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP INJURY, AND/OR ILLEGAL RESIDUES.

GENERAL INFORMATION

Dividend Extreme is a systemic seed treatment that suppresses certain seed-borne, soil borne, and fall foliar diseases of wheat. Dividend Extreme is a mixture of Dividend and Apron XLTM LS. Apron XL LS acts against Pythium damping-off and Dividend provides activity against remaining diseases claimed in this label. An EPA approved coloring agent, Pigment Red 48 has been added to the formulation.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered Dividend Extreme label (EPA Reg. No. 100-1141).

This label must be in the possession of the user at the time of pesticide application or at the time of crop rotation.

Sweet Corn

Apply Dividend Extreme at a rate of 2.0 fl. oz./100 lb. seed for control of Penicillium die-back and damping-off. Dividend Extreme may be used in combination with the following fungicides and insecticides: Maxim® 4FS, Apron XL™ LS, Cruiser® 5 FS Allegiance FL, Allegiance LS, Lorsban®, Carboxin,or Captan products .

MIXING PROCEDURES

Apply Dividend Extreme as a water based slurry through standard slurry or mist-type commercial seed treaters. Prepare a slurry by mixing Dividend Extreme in appropriate quantity of water. Mix the slurry thoroughly with the seed to provide uniform coverage

ROTATIONAL INFORMATION

Important: To avoid possible illegal residues, **DO NOT** plant any crop other than wheat within 30 days of planting Dividend treated seeds.

Notes: (1) Treated seed must contain appropriate warning statements including "Seed treated with difenoconazole and (R)-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester (or mefenoxam) . **DO NOT** use treated seed for food or feed purposes." (2) Treated seed must be adequately dyed to prevent use as a food or feed item in accordance with 21 CFR 2.25.

Any adverse effects resulting from the use of Dividend Extreme under this emergency exemption must be immediately reported to the Idaho Department of Agriculture.

Dividend Extreme ® trademark of Syngenta U.S. Patent No. 5,266,585

Registrant: Syngenta Crop Protection, Inc. Greensboro, NC 27419

© 2004 Syngenta Crop Protection

ID1141063AB0304

IDDIVIDENDExtremeSweetCorn04Sec18Lbl 3/24/04